

TS 3a Meeting Summary

Meeting Date: Monday, July 28 2014

Items approved by the TS for Subcommittee Ballot:

Standard Designation	Summary of Proposed Changes	Subcommittee Only or Concurrent?
M 85	Reporting to include chloride content	Concurrent
M 85	Include Heat of Hydration	Concurrent
M 240	Clarify "slag"	Concurrent
M 152	Minor changes to match ASTM	Concurrent
M 201	Changes in wording on Water Storage Tank, not on tolerances.	Concurrent
T 105	Possibly ballot crucible issue to match ASTM	Concurrent
T 106	Allowance for 12 specimens (not just 6 or 9)	Concurrent
T 127	Deleted sentence on estimating quantity of sample.	Concurrent
T 131	Revised warning statement in 1.3.	Concurrent
T 154	Revised warning statement in 1.3.	Concurrent
T 162	Mixer – Deleted ‘controlled by definite mechanical means.’	Concurrent
T 185	Revised warning statement in 1.3.	Concurrent
T 186	Revised warning statement in 1.3.	Concurrent

New Task Forces Formed: NONE

Task Force Name	Summary of Task	Names of TF Members

Research Liaison: Bob Horwat (PA)

Other Action Items:

Georgene Geary will send a one-page survey to SOM regarding experiences with alternative cementitious materials.